

ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A - IDENTIFYING INFORMATION

Facility Name: ANOTHER MOTHER'S LOVE LEARNING CTR LLC	Type of Facility: Center <input checked="" type="checkbox"/> [X] Day <input checked="" type="checkbox"/> [X] Night <input type="checkbox"/> [] Family <input type="checkbox"/> [] University <input type="checkbox"/> [] Group <input type="checkbox"/> []	Date of Visit: 06/04/2025
Facility Address: 118 HILLSIDE DRIVE, DALLVILLE, AL 36322, Date	License: Another Mother's Love LLC	Telephone #: (334) 709-4141
Ages: 4 Weeks to 12 Years	Director (if applicable): VALERIE MORRIS TERRY	Capacity: 30 Day NA Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency
HAZARDS MUST BE CORRECTED IMMEDIATELY
Date Corrected by Licensee

Deficiency Summary
No deficiencies observed at this visit.
6-11-25 VT

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before June 18, 2025, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Signature of Facility Representative
Jay Dalton

Date
June 4, 2025

Signature of DHR Licensing Representative