

**ALABAMA DEPARTMENT OF HUMAN RESOURCES  
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

**SECTION A- IDENTIFYING INFORMATION**

Facility Name: TANNEHILL CHILD DEVELOPMENT CENTER	Type of Facility: Center [X] Day [X]      OST [ ] Night [ ]      Family [ ] University [ ] Group [ ]	Date of Visit: 06/05/2025
Facility Address: 6267 EASTERN VALLEY ROAD, MCCALLA, AL, 35111, Jefferson	Licensee: CAMERON ROY	Telephone #: (205) 477-0028
Ages: 6 Weeks to 17 Years	Director (if applicable): CAMERON Bayley ROY	Capacity: 106 , NA Day      Night

**SECTION B - DEFICIENCY INFORMATION**

<b>Performance Standard Deficiency HAZARDS MUST BE CORRECTED IMMEDIATELY*</b>	<b>Date Corrected by Licensee</b>
<b>Deficiency Summary</b>	
Plugs are missing protective covers in the 6weeks to 18 month classroom and in the recreation room., Ad Hoc Comments: NA	06/05/2025
Changing pad is torn in the 6 week to 18 month classroom., Ad Hoc Comments: NA	06/05/2025


**INSTRUCTIONS TO LICENSEE:** Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before \_\_\_\_\_, as verification that deficiencies have been corrected.

**NOTICE:** Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

  
\_\_\_\_\_  
**Signature of Facility Representative**

Jessica Vice

\_\_\_\_\_  
**Signature of DHR Licensing**

  
\_\_\_\_\_  
Date

  
\_\_\_\_\_  
Date