

**ALABAMA DEPARTMENT OF HUMAN RESOURCES  
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

**SECTION A - IDENTIFYING INFORMATION**

Facility Name: KINGSTON EARLY HS/ HEAD START CENTER	Type of Facility : Center [X] Day [X]      OST [ ] Night [ ]      Family [ ] University [ ] Group [ ]	Date of Visit: 06/20/2025
Facility Address: 801 46TH STREET, BIRMINGHAM, AL 35212, Jefferson	Licensee: MISSISSIPPI ACTION FOR PROGRESS, INC	Telephone #: (659) 240-8904
Ages: 0 Weeks to 5 Years	Director (if applicable):	Capacity: 292      /      NA Day      Night

**SECTION B - DEFICIENCY INFORMATION**


<u>Performance Standard Deficiency</u> <b>HAZARDS MUST BE CORRECTED IMMEDIATELY*</b>	Date Corrected by Licensee
<b>Deficiency Summary</b>	
Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Comments: Some staff are not enrolled in the Alabama Pathway's Registry	06/20/2025
Failed - Medications and drugs kept under lock and key or combination lock, separate from harmful items, Inspection Form Comments: Toothpaste not under lock and key in classroom 501	05/01/2025
Failed - Hazardous substances under lock and key or combination lock, Inspection Form Comments: Cabinets not locked that contained hazardous substances.	05/01/2025
Failed - Center free of apparent hazards, Inspection Form Comments: Hazards not under lock and key in classrooms 401 and 504 (cleaning supplies).	05/01/2025
Some of the Facility staff are not enrolled in the Alabama Pathway's Registry., Ad Hoc Comments: NA	06/20/2025

**INSTRUCTIONS TO LICENSEE:** Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before   n/a  , as verification that deficiencies have been corrected.

**NOTICE:** Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

  
**Signature of Facility Representative**

6/20/25  
Date

Shundr Nevels  
  
**Signature of DHR Licensing Representative**

6/20/25  
Date

COPIES TO: Director