

**ALABAMA DEPARTMENT OF HUMAN RESOURCES  
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

**SECTION A- IDENTIFYING INFORMATION**

|                                                                                  |                                                                                                                   |                                                 |
|----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|-------------------------------------------------|
| Facility Name:<br>CMC DAYCARE                                                    | Type of Facility : Center [ ]<br>Day [X]      OST [ ]<br>Night [ ]      Family [X]<br>University [ ]<br>Group [ ] | Date of Visit:<br>06/24/2025                    |
| Facility Address:<br>524 PEACEFUL VALLEY ROAD,<br>ASHVILLE, AL, 35953, St. Clair | Licensee:<br>MAE GILLISPIE                                                                                        | Telephone #:<br>(205) 594-5705                  |
| Ages:<br>0 Weeks to 4 Years                                                      | Director (if applicable):                                                                                         | Capacity:<br>5      /      NA<br>Day      Night |

**SECTION B - DEFICIENCY INFORMATION**

| <u>Performance Standard Deficiency</u><br><b>HAZARDS MUST BE CORRECTED IMMEDIATELY*</b> | <b>Date Corrected by<br/>Licensee</b> |
|-----------------------------------------------------------------------------------------|---------------------------------------|
| <b>Deficiency Summary</b><br><br>No deficiencies were observed during this visit.       |                                       |

**INSTRUCTIONS TO LICENSEE:** Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before NA, as verification that deficiencies have been corrected.

**NOTICE:** Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

\_\_\_\_\_  
**Signature of Facility Representative**

sonya long

\_\_\_\_\_  
Date

06/24/2025

\_\_\_\_\_  
**Signature of DHR Licensing  
Representative**

\_\_\_\_\_  
Date

COPIES TO: \_licensee\_\_\_\_\_