

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: GREAT START EARLY LEARNING CENTER	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 06/12/2025
Facility Address: 5200 BESSEMER SUPER HWY, BRIGHTON, AL 35020, Jefferson	Licensee: GREAT START, L.L.C	Telephone #: (205) 424-9888
Ages: 6 Weeks to 12 Years	Director (if applicable):	Capacity: 129 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Comments: Some of the Facility staff are not in the Alabama Pathway's Registry.	06/27/2025
Failed - 2 ½ years up to 4 years 1 to 11, Inspection Form Comments: Preschool (3 yrs) is out of ratio due to staff not completing their initial Health and Safety trainings	06/27/2025
Failed - Outdoor play area and equipment are free of apparent hazardous conditions, Inspection Form Comments: The backside of the fence is not secure in sections which is causing some gaps at the bottom of the fence (Safety Hazard)	06/27/2025
Failed - Ongoing Training, Staff Checklist Comments: Missing 12 hrs	06/27/2025
Failed - Health and Safety Training, Staff Checklist Comments: Missing 11 areas	06/27/2025
Failed - CA/N Clearance Form (Every Five Years), Staff Checklist Comments: Missing CAN results	06/27/2025
Failed - Suitability Determination (Every 5 years), Staff Checklist Comments: Missing Suitability Letter	06/27/2025
Failed - Health and Safety Training, Staff Checklist Comments: Missing 11 areas	06/27/2025
Failed - Preadmission Form, Child Checklist Comments: Missing signature and date	06/27/2025

Failed - Immunization Certificate, Child Checklist Comments: Expired	06/27/2025
Failed - Medication locked, Classroom Checklist / Infants Comments: Diaper cream, baby lotion, and Vaseline not up lock and key	06/12/2025
Failed - *Non-wooden building blocks (approximately 20 non-interlocking), Classroom Checklist / Toddler 2s Comments: Missing non interlocking blocks	06/12/2025
Van #3 has (3) seats torn from the frame and has exposed foam., Ad Hoc Comments: NA	06/27/2025

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Signature of Facility Representative

Shundr Nevels

Date

Signature of DHR Licensing Representative

Date

COPIES TO: _____