

ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name: CARMEN'S CHILD CARE CENTER	Type of Facility : Center [X] Day [X] OST [] Night [X] Family [] University [] Group []	Date of Visit: 07/01/2025
Facility Address: 1361 SPRINGHILL AVENUE, MOBILE, AL 36604, Mobile	Licensee: CARMEN'S CHILD CARE, INC.	Telephone #: (251) 432-9050
Ages: 6 Weeks to 12 Years/6 Weeks to 12 Years	Director (if applicable): CARMEN COLEMAN	Capacity: 90 64 Day Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
Failed - Nightly activity schedule posted, Inspection Form Comments: Not posted	Pending Correction
Failed - Vehicle safety check done annually, signed by certified mechanic, dated, and filed in center, Inspection Form Comments: Expired	Pending Correction
Failed - Fire, Inspection Form Comments: Not present at the Center	Pending Correction
Failed - Tornado, Inspection Form Comments: Not present at the Center	Pending Correction
Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Comments: Some of the Facility Staff are not enrolled in Alabama Pathway's Registry.	Pending Correction
Failed - Two staff with infant-child CPR and first aid present during all hours of operation, Inspection Form Comments: Not 2 staff members present the CPR/First Aid	Pending Correction
Failed - Vehicle safety check, Inspection Form Comments: Vehicle safety check is expired	Pending Correction
Failed - Ongoing Training, Staff Checklist Comments: Missing 12 hrs	Pending Correction
Failed - Health and Safety Training, Staff Checklist Comments: Missing 11 areas	Pending Correction
Failed - Infant -Child CPR Certification, Staff Checklist Comments: Expired	Pending Correction

Failed - Infant -Child First Aid Certificate, Staff Checklist
Comments: Expired

Pending Correction

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 7/15/25, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Cameron Gibson Jones
Signature of Facility Representative

Shundr Nevels

Signature of DHR Licensing Representative

7/1/25
Date

7/1/25
Date

COPIES TO: Director