

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: LITTLE EXPLORER'S LEARNING CENTER	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 07/03/2025
Facility Address: 4453 ATLANTA HIGHWAY, MONTGOMERY, AL 36109, Montgomery	Licensee: LITTLE EXPLORER'S LEARNING CENTER	Telephone #: (334) 593-7106
Ages: 0 Months to 18 Years	Director (if applicable): JENNIFER MTCHELL	Capacity: 114 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Failed - Formula provided by parent, must be labeled, ready to feed, and refrigerated, Inspection Form Comments: Sippy cups not labeled in the 24-36 month room (Bumblebees).	07/03/2025
Failed - Hazardous substances under lock and key or combination lock, Inspection Form Comments: Spray bottle on counter in the 12-24 month room (Forest).	07/03/2025
Failed - Containers labeled, Inspection Form Comments: No labels on spray bottles containing a yellow substance in the School Age, 12-24 month (Forest), 24-36 month (Bumblebee) rooms.	07/03/2025
Failed - Exposed electrical outlets have protective covers, Inspection Form Comments: Plug covers missing in the gym and the 2-3 year old room (Ocean).	07/03/2025
Failed - All children supervised at all times, Inspection Form Comments: Per a staff's statement 6/25/25, two(2) 2-year-olds were left on the playground for approximately 14 minutes unsupervised. The child's health, welfare and safety were at risk.	07/03/2025

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form

must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Signature of Facility Representative

Karen Jackson-Moulton

Date

Signature of DHR Licensing Representative

Date

COPIES TO: _____