

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION


Facility Name: MAMA CRYSTAL'S DAYCARE	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 07/03/2025
Facility Address: 2160 COUNTY ROAD 37, BILLINGSLEY, AL 36006, Autauga	Licensee: CRYSTAL MOTLEY	Telephone #: (334) 788-7238
Ages: 6 Weeks to 12 Years	Director (if applicable):	Capacity: 37 / NA Day Night

SECTION B - DEFICIENCY INFORMATION


<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Failed - Exposed electrical outlets have protective covers, Inspection Form Comments: Plugs are missing protective covers in several areas of the facility.	07/03/2025

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.



Signature of Facility Representative
Jessica Vice



Date

Signature of DHR Licensing
Representative

Date