

**ALABAMA DEPARTMENT OF HUMAN RESOURCES**  
**CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

**SECTION A- IDENTIFYING INFORMATION**

|                                                                   |                                                                                                                   |                                                    |
|-------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|----------------------------------------------------|
| Facility Name:<br>COMMUNITY NURSERY &<br>PRESCHOOL SITE III       | Type of Facility : Center [X]<br>Day [X]      OST [ ]<br>Night [X]      Family [ ]<br>University [ ]<br>Group [ ] | Date of Visit:<br>07/09/2025                       |
| Facility Address:<br>4105 MOFFETT RD, MOBILE, AL<br>36618, Mobile | Licensee:<br>COMMUNITY CHURCH<br>MINISTRIES PRESCHOOL                                                             | Telephone #:<br>(251) 340-8042                     |
| Ages:<br>6 Weeks to 12 Years/6 Weeks to 12 Years                  | Director (if applicable):<br>ANGELA COKER                                                                         | Capacity:<br>106      /      106<br>Day      Night |

**SECTION B - DEFICIENCY INFORMATION**

| <u>Performance Standard Deficiency</u><br><b>HAZARDS MUST BE CORRECTED IMMEDIATELY*</b>                                                                                                                                                                                  | <b>Date Corrected by<br/>Licensee</b> |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|
| <b>Deficiency Summary</b>                                                                                                                                                                                                                                                |                                       |
| Failed - Outdoor play area and equipment are free of apparent hazardous conditions, Inspection Form<br>Comments: tree branches on fence                                                                                                                                  | Pending Correction                    |
| Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form<br>Comments: Some of the facility staff are not enrolled in the Alabama Pathway's Registry. | Pending Correction                    |
| Failed - Preadmission Form, Child Checklist<br>Comments: missing documentation                                                                                                                                                                                           | Pending Correction                    |
| Failed - Immunization Certificate, Child Checklist<br>Comments: missing documentation                                                                                                                                                                                    | Pending Correction                    |

**INSTRUCTIONS TO LICENSEE:** Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the

**NOTICE:** Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

7/9/25  
Date

*Signature of DHR Licensing Representative*

Date \_\_\_\_\_

COPIES TO: Email to Director