

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: UMS-WRIGHT CHILD CARE CENTER	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 04/17/2025
Facility Address: 65 N MOBILE STREET, MOBILE, AL 36607, Mobile	Licensee: UMS-WRIGHT CORPORATION	Telephone #: (251) 470-9046
Ages: 3 Years to 5 Years	Director (if applicable): Susanna Cole	Capacity: 128 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Comments: Some of the facility staff are not enrolled in the Alabama Pathway's Registry.	07/09/2025
Failed - Hazardous substances under lock and key or combination lock, Inspection Form Comments: antibacterial soap	05/14/2025
Failed - Center free of apparent hazards, Inspection Form Comments: Classrooms with antibacterial soap not under lock and key or combination lock	05/14/2025
Failed - Preadmission Form, Child Checklist Comments: Missing dates	05/27/2025
Failed - Preadmission Form, Child Checklist Comments: Missing documentation	05/27/2025
Failed - Preadmission Form, Child Checklist	05/27/2025

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before N/A, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Susanna Cole
Signature of Facility Representative

07/09/2025
Date

Amy Horn

Signature of DHR Licensing Representative

07/09/2025

Date

COPIES TO: Email to Director