

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: COMMUNITY NURSERY & PRESCHOOL SITE IV	Type of Facility : Center <input checked="" type="checkbox"/> Day <input checked="" type="checkbox"/> OST <input type="checkbox"/> Night <input type="checkbox"/> Family <input type="checkbox"/> University <input type="checkbox"/> Group <input type="checkbox"/>	Date of Visit: 07/10/2025
Facility Address: 2514 HALLS MILL RD, MOBILE, AL 36606, Mobile	Licensee: COMMUNITY CHURCH MINISTRIES PRESCHOOL	Telephone #: (251) 217-7292
Ages: 6 Weeks to 12 Years	Director (if applicable): ANTIONETTE COKER	Capacity: 106 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
<p>Deficiency Summary</p> <p>No deficiencies observed at the time of visit.</p>	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before N/A, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Antionette Coker
Signature of Facility Representative

7/10/25
Date

Amy Horn
Signature of DHR Licensing Representative

07/10/2025
Date

COPIES TO: Email to Director