

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION


Facility Name: BIBLE BABIES LEARNING ACADEMY	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 07/10/2025
Facility Address: 444 TWAIN CURVE, MONTGOMERY, AL 36117, Montgomery	Licensee: KINGDOM SEEKERS WORSHIP CENTER	Telephone #: (334) 272-6731
Ages: 6 Weeks to 13 Years	Director (if applicable): COURTNEY HARKLESS	Capacity: 116 , NA Day Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency	Date Corrected by Licensee
HAZARDS MUST BE CORRECTED IMMEDIATELY*	
Deficiency Summary	
The television was not anchored in the 24-36 month classroom., Ad Hoc Comments: NA	07/10/2025
A mattress is torn in the 6 weeks-18 month classroom., Ad Hoc Comments: NA	07/10/2025

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.


NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.



 Signature of Facility Representative

7/10/2025

 Date

Jessica Vice


 Signature of DHR Licensing

7.10.25

 Date

Representative

COPIES TO:

J. H. [unclear]