

ALABAMA DEPARTMENT OF HUMAN RESOURCES  
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A - IDENTIFYING INFORMATION


Facility Name: IMMANUEL CHILD DEVELOPMENT CENTER	Type of Facility : Center <input checked="" type="checkbox"/> Day <input checked="" type="checkbox"/> Night <input checked="" type="checkbox"/> OST <input type="checkbox"/> Family <input type="checkbox"/> University <input type="checkbox"/> Group <input type="checkbox"/>	Date of Visit: 07/10/2025
Facility Address: 628 SOUTH UNION AVENUE, OZARK, AL 36360, Dale	Licensee: IMMANUEL ENTERPRISES LLC Director (if applicable): ANNIE WOMACK	Telephone #: (334) 445-1887
Ages: 0 Months to 13 Years/18 Months to 13 Years		Capacity: 110 / 25 Day / Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
<b>Deficiency Summary</b> No deficiencies observed at time of visit.	
Failed - Outdoor play area and equipment are free of apparent hazardous conditions, Inspection Form Comments: the ball goal was broken with nails toward the play area.	06/18/2025
Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Comments: All staff are not enrolled in Alabama pathways.	06/24/2025
Failed - Ongoing Training, Staff Checklist Comments: There are only 6 training hours verified.	06/18/2025
Failed - Health and Safety Training, Staff Checklist Comments: There is verification for only class 11.	07/10/2025
Failed - Medical, Staff Checklist Comments: expired	06/24/2025
Failed - Immunization Certificate, Child Checklist Comments: expired	06/24/2025

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before corrected, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

  
Signature of Facility Representative

Jay Dalton

Signature of DHR Licensing Representative

COPIES TO: Annie Womack

Date

67/10/2025

Date

7/31/25