

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: BOGG'S FAMILY HOME DAYCARE	Type of Facility : Center [] Day [X] OST [] Night [X] Family [X] University [] Group []	Date of Visit: 07/11/2025
Facility Address: 1304 BAY AVENUE, MOBILE, AL 36605, Mobile	Licensee: JESSIE Mae BOGGS	Telephone #: (251) 438-6833
Ages: 18 Months to 6 Years/	Director (if applicable):	Capacity: 5 / 5 Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
Failed - Dangerous substances locked, Inspection Form Comments: Cleaning chemicals are on the kitchen counter top (Lysol, Gorilla Glue, Air freshener spray) and under the kitchen and bathroom sink, that's not locked.	07/11/2025
Failed - Radiators heaters and fans inaccessible to children, Inspection Form Comments: Barrier erected around air conditioner unit door is open and accessible to the children.	07/11/2025
Failed - Outdoor play area and equipment free from apparent hazards, Inspection Form Comments: There are broken toys on the playground with sharp edges, green mold, dirty (orange air plane missing steering wheel, 2 climbing equipment, sliding board cracked). Three active ant beds on the playground. Two (2) white pipes protruding from the ground (tripping hazards). Swing seats are dirty and have broken seats and chain is covered with worn, shabby material that poses as a strangling hazard.	07/11/2025
Failed - All poison kept in locked area, Inspection Form Comments: There are 4 cans of paint in the shed that does not have lock and key or combination lock.	07/11/2025

1944

1945

1946

1947

1948

1949

1950

1951

1952

1953

1954

1955

<p>Failed - By August 1 2022 all home staff including licensee/substitutes/assistant caregivers must enroll in Alabama Pathways Professional Development Registry, Inspection Form Comments: Some staff is not registered in Alabama Pathways and not uploading education, Infant-Child CPR & First Aid, and ongoing/health & safety training certificates.</p>	Pending Correction
<p>Failed - Medication for children or household members locked, Inspection Form Comments: Household medication is not under lock & key/combination lock in the bathroom (Aveeno lotion, baby powder, mouth wash).</p>	07/11/2025
<p>Failed - Fence at least 4 feet in height free from sharp protruding edges (except where prohibited by federal law), Inspection Form Comments: There is a 12 inch gap at the bottom of the gate and there is heavy growth along the fence with thorns and a rotted, fallen tree on the fence. At the bottom of the shed, there are broken sharp edges that poses as a cutting/scratching hazardl</p>	Pending Correction
<p>Failed - Health and Safety Training, Staff Checklist Comments: Licensee's file is missing Health & Safety Training Certificates for topics number #3, #5 & #11.</p>	Pending Correction
<p>Failed - Health and Safety Training, Staff Checklist Comments: Substitute's file is missing all required Health & Safety Training Certificates. (1, 2,3,4,5,6,7,8 & 11).</p>	Pending Correction

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 7/25/25, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

* Desiree Mae Boggs
Signature of Facility Representative

11-19-2025
Date

Deborah Lang-Dixon Deborah Dixon
Signature of DHR Licensing Representative

7/11/25
Date

COPIES TO: License