

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: SUSANNA WESLEY EARLY EDUCATION MINISTRY	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 6/17/2025
Facility Address: 111 GREENE STREET SE, HUNTSVILLE, AL, 35801, Madison	Licensee: SUSANNA WESLEY EARLY ED MIN @ FUMC HSV	Telephone #: (256) 534-6866
Ages: 6 Weeks to 6 Years	Director (if applicable): Terri Layton	Capacity: 182 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
Failed - Health and Safety Training, Staff Checklist Comments: Staff does not have current health & safety training.	7/14/2025
Failed - Health and Safety Training, Staff Checklist Comments: Staff does not have health & safety training.	7/14/2025

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Terri Layton

Signature of Facility Representative

Date

LaTonya James

Signature of DHR Licensing Representative

Date

COPIES TO: _____