

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A - IDENTIFYING INFORMATION

| | | |
|--|---|--|
| Facility Name: LINCOLN LEARNING CENTER | Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group [] | Date of Visit: 7/14/2025 |
| Facility Address: 200 MAGNOLIA ST., LINCOLN, AL 35096, Talladega | Licensee: JT ALSUP, INC. | Telephone #: (205) 763-1769 |
| Ages: 6 Weeks to 15 Years | Director (if applicable): | Capacity: 69 / NA Day Night |

SECTION B - DEFICIENCY INFORMATION

| Performance Standard Deficiency HAZARDS MUST BE CORRECTED IMMEDIATELY* | Date Corrected by Licensee |
|---|-------------------------------|
| Deficiency Summary | |
| In the 24 months - 36 months classroom, hazards Clorox wipes and baby lotion) were not not under lock and key, Ad Hoc Comments: NA | 7/14/2025 |
| In the 24 months - 36 months classroom, an electrical outlet was missing a protective cover., Ad Hoc Comments: NA | 7/14/2025 |
| On July 14, 2025, a four-year child was asleep on the cot unsupervised in the four year old classroom. The classroom and teachers were outside., Ad Hoc Comments: NA | Pending Correction |
| On July 14, 2025, a three year old child left the playground and entered the 3 year-old classroom unsupervised., Ad Hoc Comments: NA | Pending Correction |

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 8.26.25, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to

operate in compliance with Performance Standards.

Bridgette Smith
Signature of Facility Representative

7-14-25
Date

bridgette smith
Signature of DHR Licensing Representative

7-14-25
Date

COPIES TO: Director