

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: TOTS N TODDLERS LEARNING CENTER	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 7/14/2025
Facility Address: 35 TORNADO ALLEY, PARRISH, AL 35580, Walker	Licensee: KIMBERLY SUE SMITH RICE	Telephone #: (205) 522-5123
Ages: 0 Weeks to 16 Years	Director (if applicable): AMY MCCULLAR	Capacity: 85 , NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Failed - Locked storage provided for medication, Inspection Form Comments: Baby lotion not under lock and key/combination lock in the Infant Classroom	Pending Correction
Failed - 0 up to 18 months 1 to 5, Inspection Form Comments: One teacher to 7 infants during nap	Pending Correction
Failed - Thermometer in each area used by children, Inspection Form Comments: The Preschool Classroom is missing a thermometer	Pending Correction
Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Comments: Some of the Facility Staff are not enrolled in the Alabama Pathway's Registry.	Pending Correction
Failed - Immunization Certificate, Child Checklist Comments: Expired	Pending Correction
Failed - Preadmission Form, Child Checklist Comments: Missing Signature and Date	Pending Correction
Children's files are incomplete., Ad Hoc Comments: NA	Pending Correction

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before

_____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.



Signature of Facility Representative

Shundr Nevels



Date

Signature of DHR Licensing Representative

Date

COPIES TO: _____