

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A - IDENTIFYING INFORMATION

Facility Name: NIKKILAND LEARNING CENTER	Type of Facility : Center [X] Day [X] OST [] Night [X] Family [] University [] Group []	Date of Visit: 7/15/2025
Facility Address: 1161 CENTERPOINT PARKWAY, BIRMINGHAM, AL 35215, Jefferson	Licensee: THE CHURCH OF LOVE	Telephone #: (205) 427-8899
Ages: 6 Weeks to 12 Years/12 Days to 12 Days	Director (if applicable): TONEKA MOORE	Capacity: 154 154 Day Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Comments: Incomplete	6/16/2025 7/21/25 complete
Failed - Child care workers/teachers/subs meet qualification and have 12 hours of training within 30 days of employment, Inspection Form Comments: Incomplete	Pending Correction
Failed - Soft material prohibited in infant's sleeping environment. no pillows, quilts, comforters, etc., Inspection Form Comments: Blankets in children's sleeping environment.	6/12/2025 6/12/25 complete
Failed - Medications and drugs kept under lock and key or combination lock, separate from harmful items, Inspection Form Comments: in the infant room	6/16/2025 6/12/25 complete
Failed - Heating/air conditioning provided, Inspection Form Comments: Infant room air is out.	7/15/2025 7/15/25 complete
Failed - Exclusive use of activity areas, Inspection Form Comments: One room used for storage.	7/15/2025 7/15/25 complete
Failed - Medical, Staff Checklist Comments: Incomplete	Pending Correction 7/15/25 complete
Failed - Ongoing Training, Staff Checklist Comments: Incomplete	Pending Correction
Failed - Preadmission Form, Child Checklist Comments: Incomplete	Pending Correction 6/12 complete
There are two infants in bouncers asleep.. Ad Hoc	6/12/2025 6/12/25

Comments: NA

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Brandul Perine
Signature of Facility Representative

July 21, 2025
Date

Brandul Perine
Signature of DHR Licensing Representative

Date

COPIES TO: _____