

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: SHARON'S TINY TOTS	Type of Facility : Center [] Day [X] OST [] Night [] Family [] University [] Group [X]	Date of Visit: 7/16/2025
Facility Address: 1013 FIVE MILE RD, EUFAULA, AL 36027, Barbour	Licensee: SHARON DOSS	Telephone #: (334) 355-0496
Ages: 0 Weeks to 5 Years	Director (if applicable):	Capacity: 12 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
Failed - Home free of apparent hazardous conditions, Inspection Form Comments: In the living room there were some hands sanitize. In the bathroom there was toothpaste in a dresser.	7/16/2025
Failed - Outdoor play area and equipment free from apparent hazards, Inspection Form Comments: Outside, the gate was unlocked, climbing top not anchor, playhouse had spider web on it, and a broken slide.	7/16/2025
Failed - A variety of indoor/outdoor activities which included 60 minutes of active physical activity for full day and 30 minutes for half day, Inspection Form Comments: not posted	7/16/2025
Failed - Each child signed in and signed out with a written signature or a biometric ID, Inspection Form Comments: one child was sign out on departed	7/16/2025

*Slide was not broken.
Just off the climbing house.
S.D.*

RECEIVED

AUG 08 2025

CHILD CARE
SERVICES DIVISION

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before N/A, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Sharon Davis
Signature of Facility Representative

8-4-25
Date

Amy Horn
Amy Horn
Signature of DHR Licensing Representative

7/21/25
Date

COPIES TO: mailed to licensee
7/21/25