

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION


| | | |
|----------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|
| Facility Name: CHILDCARE HEAVEN DEV. CENTER | Type of Facility : Center <input checked="" type="checkbox"/> Day <input checked="" type="checkbox"/> OST <input type="checkbox"/> Night <input checked="" type="checkbox"/> Family <input type="checkbox"/> University <input type="checkbox"/> Group <input type="checkbox"/> | Date of Visit: 7/17/2025 |
| Facility Address: 1916 19TH STREET N, BESSEMER, AL, 35020, Jefferson | Licensee: CHILDCARE HEAVEN LLC | Telephone #: (205) 461-3112 |
| Ages: 6 Weeks to 15 Years/5 Years to 15 Years | Director (if applicable): LANEASHA SANDERS | Capacity: 218 , 218 Day Night |

SECTION B - DEFICIENCY INFORMATION

| <u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY* | <u>Date Corrected by Licensee</u> |
|----------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|
| Deficiency Summary Failed - Hazardous substances locked, Classroom Checklist / School Age Comments: Staff bag not under lock and key | Pending Correction |

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.


Signature of Facility Representative

7/18/25
Date

joy frazier

Signature of DHR Licensing
Representative

Date