

**ALABAMA DEPARTMENT OF HUMAN RESOURCES  
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

**SECTION A- IDENTIFYING INFORMATION**

Facility Name: ETERNAL LIFE LEARNING CENTER	Type of Facility : Center [X] Day [X]            OST [ ] Night [ ]        Family [ ] University [ ] Group [ ]	Date of Visit: 7/23/2025
Facility Address: 816 EARLINE STREET, BIRMINGHAM, AL 35215, Jefferson	Licensee: ETERNAL LIFE LEARNING CENTER LLC	Telephone #: (205) 968-1012
Ages: 6 Weeks to 14 Years	Director (if applicable): PRINCE DUNNING	Capacity: 134    /    NA Day        Night

**SECTION B - DEFICIENCY INFORMATION**

<b>Performance Standard Deficiency</b> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	<b>Date Corrected by</b> <b>Licensee</b>
<b>Deficiency Summary</b>	
On 12/12/2025, a staff's file was out of compliance due to an indicated CA/N., Ad Hoc Comments: NA	Pending Correction
Upon arrival, there was an exposed electrical outlet in the entry way to the infant room., Ad Hoc Comments: NA	6/4/2025
There was chipping paint on one of the white cribs in the infant room., Ad Hoc Comments: NA	6/4/2025
There was chipping paint on the porch outside of the 2 1/2 to 4-year-old room., Ad Hoc Comments: NA	7/23/2025
There was a school age child wondering around the downstairs area while the class was upstairs. , Ad Hoc Comments: NA	6/4/2025

The 2 1/2 to 4-year-old room was out of ratio with 1 staff to 17 children., Ad Hoc Comments: NA	6/4/2025
There were 61 children present and only 46 signed in., Ad Hoc Comments: NA	7/23/2025

**INSTRUCTIONS TO LICENSEE:** Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 8/6/25, as verification that deficiencies have been corrected.

**NOTICE:** Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

  
Signature of Facility Representative

Jaime Bowman

\_\_\_\_\_  
Signature of DHR Licensing Representative

7/23/25  
Date

07/def23/25

\_\_\_\_\_  
Date

COPIES TO: Kemii McKinstry