

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: HILDA'S HOUSE	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 7/23/2025
Facility Address: 654 W MALVERN HWY, SLOCOMB, AL 36375, Geneva	Licensee: HILDA'S HOUSE, LLC	Telephone #: (334) 446-4642
Ages: 6 Weeks to 6 Years	Director (if applicable): HILARY Lynn HATCHER	Capacity: 27 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
There were fans that did not have a barrier around it., Ad Hoc Comments: NA	7/23/2025

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 8/6/2025, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Hilary R. Hatcher
Signature of Facility Representative

07/23/2025
Date

Jay Dalton
Signature of DHR Licensing Representative

7/23/25
Date

COPIES TO: Hilary Hatcher