

Evaluation Form

1. Inspection Schedule Details

Inspection Type: Renewal inspection

Facility Name: BY HIS GRACE D/C & LEARNING CENTER II

Inspector/Investigator: amy.horn@dhr.alabama.gov

Visit Type: Unannounced

Facility Address: 3025 BUCKBOARD RD, MONTGOMERY, AL 36116, Montgomery

Visit Date: 7/23/2025

Inspection Status: Completed

2. Inspection Questionnaire

Facilities - Indoor area (ILC.4.)

S No.	Questions	Answer	Comments
1	Exclusive use of activity areas	Observed	
2	Designated space for each grouping of children	Observed	
3	Bathrooms located on same level/under same roof	Observed	
4	One flush toilet for each 15 children	Observed	
5	One handwashing sink for each 15 children	Observed	
6	One tub (portable plastic acceptable)	Observed	
7	Fixtures child size or adjusted for easy use	Observed	
8	One handwashing sink with warm running water soap paper towels in each room where children are diapered	Observed	
9	Space for ill or injured child	Observed	
10	Items used by ill child disinfected	Certified/Discussed	
11	Storage space for teacher's supplies	Observed	
12	Office space provided	Observed	
13	Heating/air conditioning provided	Observed	
14	Temperature between 68-82 degrees	Observed	
15	Thermometer in each area used by children	Observed	
16	Child safe thermometer	Observed	
17	Outside windows that are open are screened	Certified/Discussed	

14	*Non-wooden building blocks (approximately 20 non-interlocking)	Observed	
15	*Baby dolls – 2 (complete with all parts)	Observed	
16	*Doll clothes and blankets	Observed	
17	*Doll bed – 1	Observed	
18	*Toy telephones – 2	Observed	
19	*Pots, pans, buckets, large plastic spoons	Observed	
20	*Child sized stove	Observed	
21	*Dress-up clothes	Observed	
22	Diapering area	Observed	
23	Sink, warm water, soap, paper towels	Observed	
24	Plastic-lined, covered container	Observed	
25	Tub (portable plastic acceptable)	Observed	
26	Potty chairs cleaned/disinfected/empties	Not applicable	
27	Feeding chair(s) or table and chairs	Observed	
28	Cribs/cots	Observed	
29	Waterproof mattress(es), sheets, coverings	Not applicable	
30	Indoor thermometer (child safe)	Observed	
31	Shelving for equipment and supplies/anchored	Observed	
32	Individual, labeled storage space for each child	Observed	
33	Furniture child size, clean, good condition	Observed	
34	Posted Daily schedule w/ 60 minutes of active play	Observed	
35	Electrical outlets covered	Observed	
36	Barriers around heaters, fans	Not applicable	
37	Hazardous substances locked	Observed	
38	Containers labeled	Not applicable	
39	Medication locked	Not applicable	
40	Screens on windows which are opened	Certified/Discussed	
41	Lighting adequate	Observed	

4. Ad Hoc Deficiency

S No.	Deficiency
-------	------------

Alex Mull

Provider's Signature