

ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name: GOD CHOSE HATCHER ANGEL'S	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 7/24/2025
Facility Address: 101 WOODWARD RD, MIDFIELD, AL 35228, Jefferson	Licensee: FREDRIKA HATCHER	Telephone #: (205) 929-0777
Ages: 6 Months to 5 Years	Director (if applicable): FREDRIKA HATCHER	Capacity: 41 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
Failed - *Balls-3, Inspection Form Comments: Missing 3 balls	Pending Correction
Failed - *Toys for digging, Inspection Form Comments: Missing digging toys	Pending Correction
Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Comments: Some of the facility staff are not enrolled in Alabama Pathway's Registry.	Pending Correction
Failed - Ongoing Training, Staff Checklist Comments: Missing 12 hrs	Pending Correction
Failed - Preadmission Form, Child Checklist Comments: Missing signature	Pending Correction
Failed - Immunization Certificate, Child Checklist Comments: Expired	Pending Correction
Staff files are incomplete., Ad Hoc Comments: NA	Pending Correction
The Infant classroom is not setup to receive children., Ad Hoc Comments: NA	Pending Correction
The Toddler Classroom is not setup to receive children. , Ad Hoc Comments: NA	Pending Correction

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form

must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Fredrika Hatcher

Signature of Facility Representative

Shundr Nevels

Signature of DHR Licensing Representative

07/24/2025

Date

Date

COPIES TO: Director