

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION


Facility Name: KIDDIE GARDEN CHILDCARE & LEARNING CTR.	Type of Facility : Center <input checked="" type="checkbox"/> Day <input checked="" type="checkbox"/> OST <input type="checkbox"/> Night <input type="checkbox"/> Family <input type="checkbox"/> University <input type="checkbox"/> Group <input type="checkbox"/>	Date of Visit: 7/28/2025
Facility Address: 930 E. BURDESHAW STREET, DOTHAN, AL 36303, Houston	Licensee: POSITIVE SEED PLANTERS, LLC	Telephone #: (334) 699-1762
Ages: 4 Years to 12 Years	Director (if applicable): Zann Melton Stewart	Capacity: 52 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
Failed - Outdoor play area and equipment are free of apparent hazardous conditions, Inspection Form	
Comments: There are exposed roots that could cause tripping or injury.	
	7/28/2025


INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before August 11, 2025, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.



Signature of Facility Representative

Jay Dalton



Date