

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: RSA HEAD START	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 5/8/2025
Facility Address: 300 MONROE STREET, MONTGOMERY, AL, 36105, Montgomery	Licensee: MONTGOMERY COMM ACTION COMM & COMM. DEV	Telephone #: (334) 223-9604
Ages: 0 Weeks to 5 Years	Director (if applicable): Kimberly Hughley	Capacity: 152 , NA Day Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Through witness statement, a teacher pulled up an infant by one arm on the early headstart playground, Ad Hoc Comments: NA	Pending Correction
Through witness statement, a teacher hit a child on the shoulder area on the early headstart playground, Ad Hoc Comments: NA	Pending Correction

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Demetria L. Kemp
Signature of Facility Representative

Oct 23, 2025
Date