

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION


Facility Name: THE BLESSED CHILDREN	Type of Facility : Center [] Day [X] OST [] Night [] Family [X] University [] Group []	Date of Visit: 7/29/2025
Facility Address: 7627 MELVIN LANE, FAIRHOPE, AL 36532, Baldwin	Licensee: GLORIA MATTHEWS	Telephone #: (251) 391-0807
Ages: 2 Years to 6 Years	Director (if applicable):	Capacity: 6 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
Failed - Ongoing Training, Staff Checklist Comments: Requires 10 additional hours of Performance Standard Training	Pending Correction
Failed - Health and Safety Training, Staff Checklist Comments: Requires Health & Safety Training from an outside source.	Pending Correction
The fire inspection is expired. , Ad Hoc Comments: NA	Pending Correction

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 08/13/25, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.



Signature of Facility Representative

Olivia Jackson

07/29/25

Date

07/29/25

Date

COPIES TO: ARISE/LICENSEE