

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: LIGHTHOUSE ACADEMY OF EXC. & ACHVMT. III	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 7/30/2025
Facility Address: 218 SOUTH WILSON AVENUE, PRICHARD, AL 36610, Mobile	Licensee: LIGHTHOUSE CH OF APOSTOLIC FAITH OF AL	Telephone #: (251) 725-0246
Ages: 1 Months to 1 Years	Director (if applicable): TEJUANIA NELSON	Capacity: 0 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Failed - *Climbing apparatus, Inspection Form Comments: Missing a climbing apparatus	Pending Correction
Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Comments: Some of the facility staff are not enrolled in Alabama Pathway's Registry.	Pending Correction
Failed - Health and Safety Training, Staff Checklist Comments: Missing areas 10 and 11	Pending Correction
Failed - Ongoing Training, Staff Checklist Comments: Missing 10 hrs	Pending Correction
Staff files are incomplete., Ad Hoc Comments: NA	Pending Correction

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to

operate in compliance with Performance Standards.

Signature of Facility Representative

Shundr Nevels

Date

***Signature of DHR Licensing
Representative***

Date

COPIES TO: _____