

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION


Facility Name: NOAH'S ARK CHILDREN'S ACADEMY LLC	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 7/31/2025
Facility Address: 910 ALABAMA HWY 144, RAGLAND, AL, 35131, St. Clair	Licensee: NOAH'S ARK CHILDREN'S ACADEMY LLC	Telephone #: (205) 338-6624
Ages: 3 Weeks to 12 Years	Director (if applicable): JOAN GANN	Capacity: 50 NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary Failed - Outdoor play area free of apparent hazardous conditions; Inspection Form Comments: Rusty truck on 2 1/2 and over playground.	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before NA, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.


Signature of Facility Representative
Jaime Bowman

7-31-25
Date

**Signature of DHR Licensing
Representative**

07/31/25
Date

COPIES TO: Jenny Wyatt