

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A - IDENTIFYING INFORMATION

Facility Name: FORD'S DAYCARE	Type of Facility : Center [] Day [X] OST [] Night [] Family [X] University [] Group []	Date of Visit: 7/31/2025
Facility Address: 6301 BUCKHEAD DRIVE, NORTHPORT, AL 35473, Tuscaloosa	Licensee: CAROLYN FORD	Telephone #: (205) 246-9434
Ages: 0 Months to 4 Years	Director (if applicable): N/A	Capacity: 5 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Failed - Radiators heaters and fans inaccessible to children, Inspection Form Comments: fan accessible to children	7/31/2025
Failed - Licensee and each caregiver has current infant-child CPR and first aid certificate copies on file in home, Inspection Form Comments: staff without current certification	7/31/2025
Failed - By August 1 2022 all home staff including licensee/substitutes/assistant caregivers must enroll in Alabama Pathways Professional Development Registry, Inspection Form Comments: required documents not uploaded for all staff	Pending Correction
Failed - Records for caregivers/substitutes, Inspection Form Comments: expired record	7/31/2025
Failed - Children's records complete, Inspection Form Comments: Preadmission record in-complete	Pending Correction
Failed - Infant -Child CPR Certification, Staff Checklist Comments: expired	7/31/2025

Failed - Infant -Child First Aid Certificate, Staff Checklist
Comments: expired


7/31/2025

Failed - Preadmission Form, Child Checklist
Comments: incomplete. Missing signatures and addresses


Pending Correction

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 08/14/2025, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.




Signature of Facility Representative



Date



Signature of DHR Licensing Representative



Date

COPIES TO: Carolyn Ford