

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: OUR FUTURE CHILDCARE CENTER	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 5/23/2025
Facility Address: 1698-D TUSCALOOSA AVE. SW, BIRMINGHAM, AL, 35211, Jefferson	Licensee: OUR FUTURE CHILDCARE CENTER, INC.	Telephone #: (205) 923-9555
Ages: 6 Weeks to 12 Years	Director (if applicable): CHERYLIA GARRETT	Capacity: 65 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
Failed - Medical exam and TB test on file at time of employment, Inspection Form Comments: Some medicals are currently expired.	6/25/2025
Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Comments: Some of the Facility staff are not enrolled in the Alabama Pathway's registry.	8/4/2025
Failed - Medical, Staff Checklist Comments: Expired	6/25/2025
Failed - Medical, Staff Checklist Comments: Expired	5/23/2025
Failed - Verification of Education, Staff Checklist Comments: Missing	5/23/2025
Failed - Ongoing Training, Staff Checklist Comments: Missing 4 hrs	5/23/2025
Failed - Medical, Staff Checklist Comments: Expired	6/25/2025
Some of the Facility staff are not enrolled in the Alabama Pathway's Registry., Ad Hoc Comments: NA	8/4/2025

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility

representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Nancy S. Brooks

Signature of Facility Representative

Date

Shundr Nevels

Signature of DHR Licensing Representative

Date

COPIES TO: _____