

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A - IDENTIFYING INFORMATION

Facility Name: JEANETTE R MORRIS	Type of Facility : Center [] Day [X] OST [] Night [] Family [X] University [] Group []	Date of Visit: 8/5/2025
Facility Address: 311 CHAUDRON ST., GREENVILLE, AL 36037, Butler	Licensee: JEANETTE MORRIS	Telephone #: (334) 382-0563
Ages: 1 Months to 13 Years	Director (if applicable):	Capacity: 6 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
No deficiencies found at time of visit on 8/5/25.	
Failed - Daily schedule posted that includes 60 minutes of physical activity, Inspection Form Comments: 60 minutes of physical activity is not on it	6/18/2025
Failed - Most recent deficiency report posted, Inspection Form Comments: not posted	8/4/2025
Failed - Most recent licensing evaluation posted, Inspection Form Comments: not posted	8/4/2025
Failed - Outdoor play area and equipment free from apparent hazards, Inspection Form Comments: Ants in the grass	8/4/2025
Failed - Dangerous substances locked, Inspection Form Comments: A first aid kit with antibiotic ointment and cream, burn cream and medication in it.	6/17/2025
Failed - Home free of apparent hazardous conditions, Inspection Form Comments: In the bathroom, there were bodywash in the tub.	6/17/2025

Failed - References, Staff Checklist
Comments: not on file in the home

8/4/2025

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before N/A, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Janette Morris
Signature of Facility Representative

Olivia Jackson

Signature of DHR Licensing Representative

8/5/25
Date

08/05/2025

Date

COPIES TO: Arise