



Failed - *Toy telephones – 2, Classroom Checklist / Toddler 2 Comments: Missing 2 toy phones	5/12/2025
Failed - *Pots, pans, buckets, large plastic spoons, Classroom Checklist / Toddler 2 Comments: Missing pots, pans and large spoons	5/12/2025
Failed - *Child sized stove, Classroom Checklist / Toddler 2 Comments: Missing child size stove	5/12/2025
Failed - *Child-size stove and sink or combination, Classroom Checklist / Toddler 2 Comments: Missing child size stove/sink	5/12/2025
Failed - *Cooking utensils and dishes, Classroom Checklist / Toddler 2 Comments: Missing cooking utensils	5/12/2025
Failed - *Toy telephones - 2, Classroom Checklist / Toddler 2 Comments: Missing 2 toy phones	5/12/2025
Failed - *Building blocks – approximately 50 non-interlocking, Classroom Checklist / Toddler 2 Comments: Missing 50 non-wooden blocks	5/12/2025
Some of the Facility staff are not enrolled in the Alabama Pathway's Registry., Ad Hoc Comments: NA	5/12/2025
Staff files are incomplete., Ad Hoc Comments: NA	8/7/2025
The Preschool staff walked away from the classroom leaving 10 children (2 1/2 & up) unsupervised., Ad Hoc Comments: NA	7/24/2025
The Toddler Staff walked away from a Toddler (2yrs) on the changing table., Ad Hoc Comments: NA	7/24/2025
There are no deficiencies to correct on today's visit., Ad Hoc Comments: NA	8/7/2025

**INSTRUCTIONS TO LICENSEE:** Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before \_\_\_\_\_, as verification that deficiencies have been corrected.

**NOTICE:** Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

  
\_\_\_\_\_  
**Signature of Facility Representative**

  
\_\_\_\_\_  
Date

*Shundr Nevels*