

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: AMY ROBERTS	Type of Facility : Center [] Day [X] OST [] Night [X] Family [] University [] Group [X]	Date of Visit: 8/6/2025
Facility Address: 401 BRANDON AVENUE, LINDEN, AL, 36748, Marengo	Licensee: AMY ROBERTS	Telephone #: (334) 295-5103
Ages: 6 Weeks to 12 Years/6 Weeks to 12 Years	Director (if applicable):	Capacity: 12 / 12 Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary Failed - Medical, Staff Checklist Comments: EXPIRED Pending Correction	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 08/20/25, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.



Signature of Facility Representative

Olivia Jackson

Signature of DHR Licensing Representative

08/06/2025

Date

08/06/25

Date

COPIES TO: ARISE/PROVIDER