

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A - IDENTIFYING INFORMATION

Facility Name: SWEET PEAZ FAMILY HOME CHILDCARE	Type of Facility : Center <input type="checkbox"/> Day <input checked="" type="checkbox"/> Night <input type="checkbox"/> OST <input type="checkbox"/> Family <input type="checkbox"/> University <input type="checkbox"/> Group <input checked="" type="checkbox"/>	Date of Visit: 8/14/2025
Facility Address: 2931 PRETTY BRANCH DR W, MOBILE, AL 36618, Mobile	Licensee: JENNIFER CUNNINGHAM	Telephone #: (251) 645-5591
Ages: 6 Weeks to 13 Years	Director (if applicable):	Capacity: 12 / 12 Day Night

SECTION B - DEFICIENCY INFORMATION

<i>Performance Standard Deficiency HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary On 8/14/25, there were no deficiencies observed during the visit.	
Failed - Outdoor play area and equipment free from apparent hazards, Inspection Form Comments: Two (2) active ant beds on the playground behind the swing set.	7/29/2025
Failed - Dangerous substances locked, Inspection Form Comments: Three cans of spray paint in the art center.	7/29/2025
Failed - Tools and machinery inaccessible to children, Inspection Form Comments: Large steel fan is on the back porch and is accessible to the children. There is no barrier erected around the air conditioning unit on the playground.	8/14/2025
Failed - Immunization Certificate, Child Checklist Comments: No immunization record in child's file.	8/13/2025

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the

Department of Human Resources on or before N/A, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.


Signature of Facility Representative

Deborah Lamb Dixon

Date

8/14/25

Signature of DHR Licensing Representative

Date

COPIES TO: Emailed copy to licensee on 8/14/25.