ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name: THE CORKY VIOLET	Type of Facility : Center [X] Day [X] OST [ ] Night [ ] Family [ ] University [Group [ ]	Date of Visit: 8/14/2025
Facility Address: 572 PATTERSON LN, MERIDIANVILLE, AL 35759, Madison	Licensee: JESSICA LOPEZ	Telephone #: (256) 813-8912
Ages: 4 Weeks to 6 Years	Director (if applicable): JESSICA LOPEZ	Capacity: 0 , NA Day Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency ***HAZARDS MUST BE CORRECTED IMMEDIATELY****	Date Corrected by Licensee
Deficiency Summary DISCIPLINARY PRACTICES, Allegation Comments: Per staff written confirmed that a three-year-old child was restrained in a highchair to calm her down.	Pending Correction

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 8/19/2025 **, as verification that deficiencies have been corrected.**

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Candace Kasper — Aug 14, 2025
Signature of Facility Representative — Date

LaTonya James — LaTonya James — Aug. 14, 2025
Signature of DHR Licensing Representative — Date