

**ALABAMA DEPARTMENT OF HUMAN RESOURCES  
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

**SECTION A- IDENTIFYING INFORMATION**

Facility Name: PINEY GROVE BAPTIST LEARNING CENTER	Type of Facility : Center [X] Day [X]      OST [ ] Night [ ]      Family [ ] University [ ] Group [ ]	Date of Visit: 8/14/2025
Facility Address: C, TUSCALOOSA, AL 35404, Tuscaloosa	Licensee: Piney Grove Baptist Learning Center	Telephone #: (205) 556-7447
Ages: 6 Weeks to 12 Years	Director (if applicable): SHELINA JOHNSON	Capacity: 64      /      NA Day      Night

**SECTION B - DEFICIENCY INFORMATION**

<b>Performance Standard Deficiency</b> <b>HAZARDS MUST BE CORRECTED IMMEDIATELY*</b>	<b>Date Corrected by</b> <b>Licensee</b>
<b>Deficiency Summary</b>	
Failed - Hazardous substances under lock and key or combination lock, Inspection Form Comments: One cabinet not locked with hazards	Pending Correction
Failed - Center director meets qualifications, Inspection Form Comments: Incomplete training	Pending Correction
Failed - Child care workers/teachers/subs meet requirements for Health & Safety training, Inspection Form Comments: cook	Pending Correction
Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Comments: incomplete	Pending Correction
Failed - Drinking water without added sweeteners or carbonation readily available throughout the day, Inspection Form Comments: Incomplete	Pending Correction
Failed - Time outdoors daily when weather permits, Inspection Form Comments: not met	Pending Correction
Failed - Each child's hands washed after diapering, Inspection Form Comments: Incomplete	Pending Correction
Failed - Infants placed on back to sleep unless physician's statement indicates otherwise, Inspection Form Comments: Baby placed on stomach to be put to sleep	Pending Correction
Failed - Child's hands washed before and after snacks, after	Pending Correction


diapering, toileting, Inspection Form	
Comments: Incomplete	
Failed - Staff's hands washed before food preparation and service, after assisting with toileting, after diapering, Inspection Form	Pending Correction
Comments: incomplete	
Failed - Medical, Staff Checklist	Pending Correction
Comments: Incomplete	
Failed - Ongoing Training, Staff Checklist	Pending Correction
Comments: Incomplete	
Failed - Health and Safety Training, Staff Checklist	Pending Correction
Comments: Incomplete	
Failed - Medical, Staff Checklist	Pending Correction
Comments: Expired	
Failed - Medical, Staff Checklist	Pending Correction
Comments: Expired	
Failed - Ongoing Training, Staff Checklist	Pending Correction
Comments: Incomplete	
Failed - Shelving for equipment and supplies/anchored, Classroom Checklist / Toddlers 1	Pending Correction
Comments: Incomplete	
Failed - Sink, warm water, soap, paper towels, Classroom Checklist / Toddlers 2	Pending Correction
Comments: Sink is not turned on	
Failed - Shelving for equipment and supplies/anchored, Classroom Checklist / Toddlers 2	Pending Correction
Comments: Incomplete	
Failed - Sink, warm water, soap, paper towels, Classroom Checklist / Toddlers 3	Pending Correction
Comments: Sink not turned on	
Failed - Shelving for equipment and supplies/anchored, Classroom Checklist / Toddlers 3	Pending Correction
Comments: Incomplete	
Failed - Hazardous substances locked, Classroom Checklist / Toddlers 3	Pending Correction
Comments: Cabinet with hazards not locked	
Failed - Shelving for equipment and supplies/anchored, Classroom Checklist / Preschool	Pending Correction
Comments: Incomplete	

**INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before \_\_\_\_\_, as verification that deficiencies have been corrected.**

**NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to**

operate in compliance with Performance Standards.

Signature of Facility Representative



Brandul Perine

Signature of DHR Licensing Representative

COPIES TO: \_\_\_\_\_

Date

8.15.25

Date