

Failed - Preadmission Form, Child Checklist
Comments: Parent signatures are missing and there is no city in the addresses.

Pending Correction
Corrected
8/22/25 *(JD)*

Failed - Preadmission Form, Child Checklist
Comments: There is no city listed in the addresses.

Pending Correction
Corrected
8/22/25 *(JD)*

Failed - Preadmission Form, Child Checklist
Comments: There is no city listed in the addresses.

Pending Correction
Corrected *(JD)*
8/22/25

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 09/01/2025, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Ernestine Taylor-Lewis
Signature of Facility Representative

8/25/25
Date

Jay Dalton

08/18/2025

Signature of DHR Licensing Representative

Date

COPIES TO: Ernestine Taylor-Lewis

ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name: ABC CHILDCARE/LEARNING CENTER	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 8/18/2025
Facility Address: 301 EAST BOUNDARY STREET, EUFULA, AL 36027, Barbour	Licensee: ABC CHILDCARE/LEARNING CENTER, LLP	Telephone #: (334) 687-1097
Ages: 6 Weeks to 12 Years	Director (if applicable): ERNESTINE TAYLOR-LEWIS	Capacity: 62 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Failed - Health and Safety Training, Staff Checklist Comments: There is no verification for classes 1,2,4 and 6	Pending Correction <i>2 + 6 corrected</i> <i>8/19/25 ED</i>
Failed - Ongoing Training, Staff Checklist Comments: There is no verification of ongoing training.	Pending Correction
Failed - Health and Safety Training, Staff Checklist Comments: All health and safety training are not verified.	Pending Correction
Failed - Preadmission Form, Child Checklist Comments: The preadmission form has blank spaces and there is no street listed in the address section.	Pending Correction <i>Corrected</i> <i>8/22/25 ED</i>
Failed - Preadmission Form, Child Checklist Comments: There are blank spaces on the application and no addresses.	Pending Correction <i>Corrected</i> <i>8/22/25 ED</i>
Failed - Preadmission Form, Child Checklist Comments: one of the parent signatures is missing and there is no city listed in the address.	Pending Correction <i>Corrected</i> <i>8/22/25 ED</i>