

**ALABAMA DEPARTMENT OF HUMAN RESOURCES  
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

**SECTION A- IDENTIFYING INFORMATION**

Facility Name: WE CARE DAYCARE AND LEARNING CENTER, LLC	Type of Facility : Center [X] Day [X]      OST [ ] Night [ ]      Family [ ] University [ ] Group [ ]	Date of Visit: 8/20/2025
Facility Address: 501 LITTLEJOHN ROAD, CLANTON, AL 35045, Chilton	Licensee: WE CARE DAYCARE AND LEARNING CENTER, LLC	Telephone #: (205) 755-5065
Ages: 6 Weeks to 16 Years	Director (if applicable): CATHRYN ANN MCDANIEL	Capacity: 41      /      NA Day      Night

**SECTION B - DEFICIENCY INFORMATION**

<b>Performance Standard Deficiency HAZARDS MUST BE CORRECTED IMMEDIATELY*</b>	<b>Date Corrected by Licensee</b>
<b>Deficiency Summary</b>	
No deficiencies observed in areas visited on 8/20/25.	
Failed - Outdoor play area and equipment are free of apparent hazardous conditions, Inspection Form Comments: Black landscaping material is posing a tripping hazard.	8/8/2025
Failed - Child care workers/teachers/subs meet qualification and have 12 hours of training within 30 days of employment, Inspection Form Comments: One staff missing required training.	8/20/2025
Failed - Child care workers/teachers/subs meet requirements for Health & Safety training, Inspection Form Comments: One staff missing required training.	8/20/2025
Failed - Exposed electrical outlets have protective covers, Inspection Form Comments: Lobby area	8/8/2025
Failed - Medical, Staff Checklist Comments: expired	8/20/2025
Failed - Ongoing Training, Staff Checklist Comments: .	8/20/2025
Failed - Health and Safety Training, Staff Checklist Comments: .	8/20/2025

**INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before**

\_\_\_\_\_, as verification that deficiencies have been corrected.

**NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.**

Cathryn McDaniel

08/20/2025

\_\_\_\_\_  
***Signature of Facility Representative***

\_\_\_\_\_  
Date

Jessica Vice

08/20/2025

\_\_\_\_\_  
***Signature of DHR Licensing Representative***

\_\_\_\_\_  
Date

COPIES TO: \_\_\_\_\_