

**ALABAMA DEPARTMENT OF HUMAN RESOURCES  
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

**SECTION A- IDENTIFYING INFORMATION**

Facility Name: PURPOSE KIDSZ 3.0	Type of Facility : Center [X] Day [X]            OST [ ] Night [ ]        Family [ ] University [ ] Group [ ]	Date of Visit: 8/21/2025
Facility Address: 830 S. MEMORIAL DRIVE, PRATTVILLE, AL, 36067, Autauga	Licensee: DAVINA TOLVER	Telephone #: (334) 922-0092
Ages: 12 Years	Director (if applicable): DAVINA TOLVER	Capacity: 30        /    NA Day        Night

**SECTION B - DEFICIENCY INFORMATION**

<b>Performance Standard Deficiency HAZARDS MUST BE CORRECTED IMMEDIATELY*</b>	<b>Date Corrected by Licensee</b>
<b>Deficiency Summary</b>	
Failed - Outdoor play area free of apparent hazardous conditions;, Inspection Form Comments: Fence is down	Pending Correction
Failed - Concrete/asphalt not used under equipment, Inspection Form Comments: The climber has a small section that is sitting on concrete, and it is too close to the building.	Pending Correction
Failed - Two staff with infant-child CPR and first aid present during all hours of operation, Inspection Form Comments: .	Pending Correction
Failed - Fire, Inspection Form Comments: .	Pending Correction
Failed - Written verification of Emergency Procedures, Staff Checklist Comments: .	8/21/2025
Failed - Preadmission Form, Child Checklist Comments: issuing signatures	Pending Correction
The right side of the playground fence is down due to a fallen tree. *Playground will be restricted until repairs to the fence are complete. A Department Representative must review and approve these repairs before the children are allowed to use the playground., Ad Hoc Comments: NA	Pending Correction

**INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be**

completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before \_\_\_\_\_, as verification that deficiencies have been corrected.

**NOTICE:** Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Daruna Tolman  
**Signature of Facility Representative**

8/21/25  
Date

Jessica Vice  
**Signature of DHR Licensing Representative**

8/21/25  
Date

COPIES TO: \_\_\_\_\_