

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: AGAPE CHILD DEVELOPMENT CENTER	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 8/27/2025
Facility Address: 2640 WESTGATE STREET, MONTGOMERY, AL 36108, Montgomery	Licensee: DEMOND FRANKLIN	Telephone #: (334) 593-0502
Ages: 6 Weeks to 12 Years	Director (if applicable): ERMA FRANKLIN	Capacity: 0 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Failed - Outdoor play area and equipment are free of apparent hazardous conditions, Inspection Form Comments: There are hazards on the playground. (Mop buckets, mops, broken equipment, water hose, rusty pipes, trash cans)The grass is too tall, and there are active ant beds on the playground.	Pending Correction
Failed - *Climbing apparatus, Inspection Form Comments: There was a broken slide on the playground	Pending Correction
Failed - Outdoor play area enclosed by a fence or wall at least 4 feet in height, Inspection Form Comments: The gate on the right side of the playground is broken and not 4 feet in height.	Pending Correction
Failed - Staff person in charge when director is absent, authorized to conduct center business, Inspection Form Comments: On August 27, there was no staff left in charge when the Director/Owner was not present.	Pending Correction
Failed - No physical restraint as punishment, Inspection Form Comments: There is an infant highchair, in the four -year- old classroom.	Pending Correction
Failed - Each child signed in and signed out with a written signature or bio-metric ID, Inspection Form Comments: The sign in/sign out sheets were not available during the visit.	Pending Correction
Failed - Verification of Education, Staff Checklist Comments: Missing verification of education	Pending Correction

Failed - Interstate CA/N if applicable (within 5 years), Staff Checklist Comments: Staff does not have an interstate CA/N	Pending Correction
Failed - Medical, Staff Checklist Comments: Expired	Pending Correction
Failed - Medical, Staff Checklist Comments: Incomplete	Pending Correction
Failed - TB Test Date and Results, Staff Checklist Comments: Incomplete	Pending Correction
Failed - Medical, Staff Checklist Comments: Expired	Pending Correction
Failed - Medical, Staff Checklist Comments: Expired	Pending Correction
Failed - Verification of Education, Staff Checklist Comments: Missing	Pending Correction
Failed - Medical, Staff Checklist Comments: Expired	Pending Correction
Failed - Medical, Staff Checklist Comments: Expired	Pending Correction
Staff and children's files were not accessible during visit on August 27, 2025., Ad Hoc Comments: NA	Pending Correction
There was a trash can full of water on the playground on August 27, 2025., Ad Hoc Comments: NA	8/27/2025

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Signature of Facility Representative

Jessica Vice

Date

Signature of DHR Licensing Representative

Date

COPIES TO: _____