

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: BROWN'S HOME DAY CARE:	Type of Facility : Center [] Day [X] OST [] Night [] Family [X] University [] Group []	Date of Visit: 9/3/2025
Facility Address: 261 SMALLBROOK DR, MONTGOMERY, AL 36116-3725, Montgomery	Licensee: BARBARA BROWN	Telephone #: (334) 281-4084
Ages: 6 Weeks to 5 Years	Director (if applicable):	Capacity: 6 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
No deficiencies observed at the time of visit.	
Failed - By August 1 2022 all home staff including licensee/substitutes/assistant caregivers must enroll in Alabama Pathways Professional Development Registry, Inspection Form Comments: None of the facility staff are enrolled in the Alabama Pathway's Registry.	8/20/2025
Failed - Children 18 months and older must sleep on a cot or bed, Inspection Form Comments: Sleeping in pack & plays	7/23/2025
Failed - Ongoing Training, Staff Checklist Comments: Missing documentation	7/23/2025
Failed - Application, Staff Checklist Comments: Missing documentation	8/12/2025
Failed - Ongoing Training, Staff Checklist Comments: Missing documentation	7/23/2025

Failed - Preadmission Form, Child Checklist Comments: Missing documentation	7/23/2025
In the kitchen, there is household and over the counter medication, hand sanitizer and lysol spray not under lock and key or combination lock., Ad Hoc Comments: NA	9/3/2025

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before N/A, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Barbara K. Brown
Signature of Facility Representative

9/04/25
Date

Amy Horn
Signature of DHR Licensing Representative

9/4/25
Date

COPIES TO: mailed to licensee