

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: CALVARY LEARNING CENTER, SITE I	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 9/9/2025
Facility Address: 601 N. MAIN STREET, TUSCUMBIA, AL 35674, Colbert	Licensee: CALVARY BAPTIST CHURCH	Telephone #: (256) 381-6650
Ages: 18 Months to 12 Years	Director (if applicable): PARKER FLEMING	Capacity: 173 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
[InspectionSummaryDescription]	
Failed - *Wheel vehicles to pull or push - 2, Inspection Form Comments: need 2	9/9/2025
Failed - Each child under 6 years shall be properly secured in a booster seat which is properly anchored to the vehicle, installed according to manufacturer's instructions, maintained in good condition, Inspection Form Comments: center staff state not using booster seats	8/29/2025
Failed - Ongoing Training, Staff Checklist Comments: 6/12, need 6 hours In Service	8/29/2025
Failed - Ongoing Training, Staff Checklist Comments: need hours	9/9/2025
Failed - Health and Safety Training, Staff Checklist Comments: need hours	Pending Correction
Failed - Ongoing Training, Staff Checklist Comments: 9/12, need hours	9/9/2025
Failed - *Doll bed or cradle, Classroom Checklist / Room 1 Comments: not observed	9/9/2025
Failed - *Toy telephones-2, Classroom Checklist / Room 1 Comments: need 1	9/9/2025
one staff CA/N, Ad Hoc Comments: NA	Pending Correction

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility

representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 9/23/25, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Signature of Facility Representative

Date

Lea Rae Gaines

9/9/25

Signature of DHR Licensing Representative

Date

COPIES TO: _____