

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: PINEY GROVE BAPTIST LEARNING CENTER	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 8/14/2025
Facility Address: C, TUSCALOOSA, AL 35404, Tuscaloosa	Licensee: Piney Grove Baptist Learning Center	Telephone #: (205) 556-7447
Ages: 6 Weeks to 12 Years	Director (if applicable): SHELINA JOHNSON	Capacity: 64 , NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Failed - Hazardous substances under lock and key or combination lock, Inspection Form Comments: One cabinet not locked with hazards	9/3/2025
Failed - Center director meets qualifications, Inspection Form Comments: Incomplete training	9/3/2025
Failed - Child care workers/teachers/subs meet requirements for Health & Safety training, Inspection Form Comments: cook	9/3/2025
Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Comments: incomplete	9/3/2025
Failed - Drinking water without added sweeteners or carbonation readily available throughout the day, Inspection Form Comments: Incomplete	8/25/2025
Failed - Time outdoors daily when weather permits, Inspection Form Comments: not met	9/3/2025
Failed - Each child's hands washed after diapering, Inspection Form Comments: Incomplete	8/25/2025
Failed - Infants placed on back to sleep unless physician's statement indicates otherwise, Inspection Form Comments: Baby placed on stomach to be put to sleep	9/3/2025
Failed - Child's hands washed before and after snacks, after	8/25/2025

diapering, toileting, Inspection Form	
Comments: Incomplete	
Failed - Staff's hands washed before food preparation and service, after assisting with toileting, after diapering, Inspection Form	9/3/2025
Comments: incomplete	
Failed - Medical, Staff Checklist	9/3/2025
Comments: Incomplete	
Failed - Ongoing Training, Staff Checklist	9/3/2025
Comments: Incomplete	
Failed - Health and Safety Training, Staff Checklist	8/25/2025
Comments: Incomplete	
Failed - Medical, Staff Checklist	9/3/2025
Comments: Expired	
Failed - Medical, Staff Checklist	9/3/2025
Comments: Expired	
Failed - Ongoing Training, Staff Checklist	9/3/2025
Comments: Incomplete	
Failed - Shelving for equipment and supplies/anchored, Classroom Checklist / Toddlers 1	9/3/2025
Comments: Incomplete	
Failed - Sink, warm water, soap, paper towels, Classroom Checklist / Toddlers 2	8/25/2025
Comments: Sink is not turned on	
Failed - Shelving for equipment and supplies/anchored, Classroom Checklist / Toddlers 2	9/3/2025
Comments: Incomplete	
Failed - Sink, warm water, soap, paper towels, Classroom Checklist / Toddlers 3	8/25/2025
Comments: Sink not turned on	
Failed - Shelving for equipment and supplies/anchored, Classroom Checklist / Toddlers 3	9/3/2025
Comments: Incomplete	
Failed - Hazardous substances locked, Classroom Checklist / Toddlers 3	8/25/2025
Comments: Cabinet with hazards not locked	
Failed - Shelving for equipment and supplies/anchored, Classroom Checklist / Preschool	9/3/2025
Comments: Incomplete	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to

operate in compliance with Performance Standards.

Shelene Johnson

Signature of Facility Representative

Brandul Perine

**Signature of DHR Licensing
Representative**

9.3.25

Date

Date

COPIES TO: _____