

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A - IDENTIFYING INFORMATION

Facility Name: CALVARY LEARNING CENTER, SITE 2	Type of Facility : Center <input checked="" type="checkbox"/> Day <input checked="" type="checkbox"/> OST <input type="checkbox"/> Night <input type="checkbox"/> Family <input type="checkbox"/> University <input type="checkbox"/> Group <input type="checkbox"/>	Date of Visit: 9/9/2025
Facility Address: 1305 W. 12TH STREET, SHEFFIELD, AL 35660, Colbert	Licensee: CALVARY BAPTIST CHURCH	Telephone #: (256) 978-5488
Ages: 7 Days to 36 Months	Director (if applicable):	Capacity: 55 , NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	<u>Date Corrected by Licensee</u>
Deficiency Summary	
SUPERVISION, Allegation	Pending Correction
Comments: Per video footage viewed on September 9, 2025, on September 5, 2025 three, 2 year old boys opened the classroom door and ran onto the playground, unsupervised for approximately 4 minutes., Ad Hoc	Pending Correction
Comments: NA Staff left the toddler classroom unsupervised while retrieving diapers from the hall area., Ad Hoc	Pending Correction
Comments: NA The center failed to report to the Department of the incident that occurred on September 5, 2025 in which children's health welfare and/or safety was at risk., Ad Hoc	Pending Correction
Comments: NA	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before
9/23/25 as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet

Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with **Performance Standards**.

Parker Fleming
Signature of Facility Representative

9-9-2025
Date

Lea Rae Gaines
Signature of DHR Licensing Representative

9/9/25
Date

COPIES TO: _____