

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: MINI BLESSINGS DAYCARE LLC	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 9/16/2025
Facility Address: 6914 FIRST AVENUE NORTH, BIRMINGHAM, AL 35206, Jefferson	Licensee: MINI BLESSINGS DAYCARE LLC	Telephone #: (205) 836-1038
Ages: 6 Weeks to 13 Years	Director (if applicable):	Capacity: 46 , NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Comments: trainings not updated.	Pending Correction
Failed - Vehicle safety check done annually, signed by certified mechanic, dated, and filed in center, Inspection Form Comments: School age children being transported in 2 personal vehicles without a vehicle safety checklist.	Pending Correction
Failed - 0 up to 18 months 1 to 5, Inspection Form Comments: 1 staff watching 6 children in the nap area.	9/16/2025
Failed - Transportation checklists used as required, Inspection Form Comments: Transportation checklist not used recently.	Pending Correction
Failed - Hazardous substances locked, Classroom Checklist / Insightful Owls Comments: hand sanitizer not under lock and key.	9/16/2025
Failed - Containers labeled, Classroom Checklist / Insightful Owls Comments: Three unlabeled spray bottles with different colored substances.	9/16/2025

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility

representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 09/30/25, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.


Signature of Facility Representative

Jaime Bowman

9-18-2025
Date

09/16/25

Signature of DHR Licensing Representative

Date

COPIES TO: Demeka Bozeman