

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: VICKEY BLAYLOCK'S DAYCARE	Type of Facility : Center [] Day [X] OST [] Night [] Family [X] University [] Group []	Date of Visit: 10/28/2025
Facility Address: 150 FLYNN STREET, SULLIGENT, AL 35586, Lamar	Licensee: VICKEY BLAYLOCK	Telephone #: (205) 712-3398
Ages: 7 Days to 12 Years	Director (if applicable):	Capacity: 6 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
Failed - Electrical outlets covered, Inspection Form Comments: outlets exposed in kitchen and dining area	9/16/2025
Failed - Lockdown, Inspection Form Comments: no record	9/30/2025
Failed - Relocation, Inspection Form Comments: no record	9/30/2025
Failed - By August 1 2022 all home staff including licensee/substitutes/assistant caregivers must enroll in Alabama Pathways Professional Development Registry, Inspection Form Comments: staff not registered on pathways with required documents	Pending Correction
Failed - Record for licensee/household member, Inspection Form Comments: staff records incomplete	9/30/2025
Failed - Records for caregivers/substitutes, Inspection Form Comments: staff records incomplete	9/30/2025
Failed - Children's records complete, Inspection Form	Pending Correction

Comments: 2 children with expired immunization records	
Failed - Infant -Child First Aid Certificate, Staff Checklist Comments: no record	9/30/2025
Failed - Infant -Child First Aid Certificate, Staff Checklist Comments: no record	9/30/2025
Failed - Ongoing Training, Staff Checklist Comments: no record	9/30/2025
Failed - Health and Safety Training, Staff Checklist Comments: no record	10/28/2025
Failed - Immunization Certificate, Child Checklist Comments: expired	9/30/2025
Failed - Immunization Certificate, Child Checklist Comments: expired	Pending Correction

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 11/11/2025, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Vickey Blaylock
Signature of Facility Representative

10/28/2025
Date

[Signature]
Signature of DHR Licensing Representative

10/28/2025
Date

COPIES TO: Vickey Blaylock