

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION


Facility Name: MITCHELL'S PLACE	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 9/17/2025
Facility Address: 4778 OVERTON ROAD, BIRMINGHAM, AL 35210, Jefferson	Licensee: MITCHELL'S PLACE, INC.	Telephone #: (205) 957-0294
Ages: 2 Years to 11 Years	Director (if applicable):	Capacity: 106 , NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Failed - Medical, Staff Checklist Comments: Expired	Pending Correction
Failed - Interstate CA/N if applicable (within 5 years), Staff Checklist Comments: Missing	Pending Correction

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.


Signature of Facility Representative

9/17/25
Date

Shundr Nevels

Signature of DHR Licensing
Representative

Date