

**ALABAMA DEPARTMENT OF HUMAN RESOURCES  
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

**SECTION A - IDENTIFYING INFORMATION**


Facility Name: GIGI'S LICENSED DAY CARE HOME	Type of Facility : Center [ ] Day [X]            OST [ ] Night [ ]        Family [X] University [ ] Group [ ]	Date of Visit: 9/18/2025
Facility Address: 2203 FAIRFAX STREET, HUNTSVILLE, AL 35811, Madison	Licensee: GIGI HASTINGS	Telephone #: (256) 534-8669
Ages: 8 Weeks to 7 Years	Director (if applicable): N/A	Capacity: 6        /    NA Day        Night


**SECTION B - DEFICIENCY INFORMATION**

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
<b>Deficiency Summary</b>	
Failed - Outdoor play area and equipment free from apparent hazards, Inspection Form Comments: loose brick on seat by shed	9/18/2025
Failed - Tools and machinery inaccessible to children, Inspection Form Comments: blower in screen porch accessible to children	9/18/2025
Failed - All poison kept in locked area, Inspection Form Comments: Pet cleaning products in outside area accessible to children	9/18/2025
Failed - By August 1 2022 all home staff including licensee/substitutes/assistant caregivers must enroll in Alabama Pathways Professional Development Registry, Inspection Form Comments: staff current training documents are not registered	Pending Correction

**INSTRUCTIONS TO LICENSEE:** Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 10/02/2025, as verification that deficiencies have been corrected.

**NOTICE:** Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

  
Signature of Facility Representative

  
Signature of DHR Licensing Representative

09-18-2025  
Date

9/18/2025  
Date

COPIES TO: Gigi Hastings