

**ALABAMA DEPARTMENT OF HUMAN RESOURCES  
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

**SECTION A - IDENTIFYING INFORMATION**

Facility Name: BRIGHT BEGINNINGS LEARNING CTR AT PROVID	Type of Facility : Center [X] Day [X]      OST [ ] Night [X]    Family [ ] University [ ] Group [ ]	Date of Visit: 9/19/2025
Facility Address: 6803 AIRPORT BLVD, MOBILE, AL 36608, Mobile	Licensee: BRIGHT BEGINNINGS LRNING CTR AT PROV LLC	Telephone #: (251) 776-5540
Ages: 6 Weeks to 12 Years/6 Weeks to 12 Years	Director (if applicable): ANDREA TAYLOR	Capacity: 125    /    50 Day      Night

**SECTION B - DEFICIENCY INFORMATION**

<u>Performance Standard Deficiency</u> <b>HAZARDS MUST BE CORRECTED IMMEDIATELY*</b>	Date Corrected by Licensee
<b>Deficiency Summary</b>	
Failed - Outdoor play area and equipment are free of apparent hazardous conditions, Inspection Form Comments: large tunnel slide broken sitting at the back fence	9/19/2025
Failed - Designated staff complete and sign checklist, Inspection Form Comments: Missing signatures	9/19/2025

**INSTRUCTIONS TO LICENSEE:** Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before \_\_\_\_\_, as verification that deficiencies have been corrected.

**NOTICE:** Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

\_\_\_\_\_  
Signature of Facility Representative

Brandul Perine

\_\_\_\_\_  
Date

9/19/25